Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1626GMS

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Web Page URLs for STN Seminar Schedule - N. America
NEWS
NEWS
                 "Ask CAS" for self-help around the clock
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,
                 STN AnaVist, now available
NEWS 4
        AUG 11
                STN AnaVist workshops to be held in North America
NEWS 5
        AUG 30 CA/CAplus -Increased access to 19th century research documents
NEWS 6
        AUG 30
                CASREACT - Enhanced with displayable reaction conditions
NEWS
     7
        SEP 09
                ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS 8
        OCT 03
                MATHDI removed from STN
NEWS 9
        OCT 04
                CA/CAplus-Canadian Intellectual Property Office (CIPO) added
                 to core patent offices
                STN AnaVist workshops to be held in North America
NEWS 10 OCT 06
NEWS 11 OCT 13
                New CAS Information Use Policies Effective October 17, 2005
NEWS 12
        OCT 17
                STN(R) AnaVist(TM), Version 1.01, allows the export/download
                of CAplus documents for use in third-party analysis and
                visualization tools
        OCT 27
NEWS 13
                Free KWIC format extended in full-text databases
NEWS 14
        OCT 27
                DIOGENES content streamlined
NEWS 15 OCT 27
                EPFULL enhanced with additional content
NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
```

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\*PROMT - PROMT from 1978 - present

10735953.trn

\* The files listed above are temporarily unavailable.

FILE 'HOME' ENTERED AT 15:04:36 ON 30 OCT 2005

Uploading

=>

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE Do you want to switch to the Registry File? Choice (Y/n):

Switching to the Registry File...

Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> FILE REGISTRY

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 15:04:53 ON 30 OCT 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 28 OCT 2005 HIGHEST RN 866391-97-1 DICTIONARY FILE UPDATES: 28 OCT 2005 HIGHEST RN 866391-97-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>

chain nodes : 27 28 30 31 32 33 34 35 36 37 39 ring nodes : 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 chain bonds : 1-35 3-34 7-32 10-33 12-30 20-36 21-37 24-28 26-27 30-31 37-39 ring bonds : 1-2 1-6 2-3 3-4 4-7 5-8 5-6 5-25 6-7 7-9 8-13 8-9 9-10 10-11 11-12 12-13 13-26 14-15 14-19 14-29 15-16 16-17 17-18 17-25 18-19 20-21 20-24 21-22 21-29 22-23 23-24 23-26 exact/norm bonds : 5-8 5-25 8-13 8-9 9-10 10-11 11-12 12-13 13-26 14-29 17-25 20-21 20-24 21-29 21-37 23-24 23-26 24-28 26-27 37-39 exact bonds : 1-2 1-6 1-35 2-3 3-4 3-34 4-7 5-6 6-7 7-9 7-32 10-33 12-30 20-36 21-22 22-23 30-31 normalized bonds : 14-15 14-19 15-16 16-17 17-18 18-19 isolated ring systems : containing 1 :

## G1:H,CH3,Ak

## Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:CLASS 28:CLASS 29:Atom 30:CLASS 31:CLASS 32:CLASS 33:CLASS 34:CLASS 35:CLASS 36:CLASS 37:CLASS 39:CLASS

L1 STRUCTURE UPLOADED

=> d 11

L1 HAS NO ANSWERS

STR



G1 H, Me, Ak

Structure attributes must be viewed using STN Express query preparation.

SAMPLE SEARCH INITIATED 15:05:12 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED

0 ITERATIONS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\* BATCH \*\*COMPLETE\*\*

0 TO 0 0 0 TO 0 . PROJECTED ITERATIONS: PROJECTED ANSWERS:

0 SEA SSS SAM L1

=> s l1 sss full

FULL SEARCH INITIATED 15:05:18 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 11 TO ITERATE

10735953.trn Page 4

15:10

0 ANSWERS

100.0% PROCESSED 11 ITERATIONS

SEARCH TIME: 00.00.01

L3 3 SEA SSS FUL L1

=> FIL HCAPLUS

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

161.33 SESSION 161.54

3 ANSWERS

FULL ESTIMATED COST

FILE 'HCAPLUS' ENTERED AT 15:05:24 ON 30 OCT 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Oct 2005 VOL 143 ISS 19 FILE LAST UPDATED: 28 Oct 2005 (20051028/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4

A STATE OF THE STA

=> d l4 ibib abs hitstr tot

3 L3

L4 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:533983 HCAPLUS

DOCUMENT NUMBER: 141:52971

TITLE: Antibiotic cyan426-A produced by fermentation of

Cylindrocarpon NRRL 30632

INVENTOR(S): He, Haiyin; Yang, Hui; Bigelis, Ramunas

PATENT ASSIGNEE(S): Wyeth Holdings Corporation, USA SOURCE: W.S. Pat. Appl. Publ., 9 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

US 2004127540 A1 20040701 US 2003-735953 20031215
PRIORITY APPLN. INFO.: US 2002-434005P P 20021217

OTHER SOURCE(S): MARPA 141:5297

GΙ

10735953.trn

Page 5

15:10

AB The invention relates to a new antibiotic designated Cyan426-A (I) , to its production by fermentation, to methods for its recovery and concentration from the

crude solns., and to a process for its purification and to semisynthetic ethers of Cyan426-A, Cyan426-A-ethers.

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Currently available stereo shown.

IT 709041-56-5P, Cyan 426-A methyl ether

10735953.trn

Page 6

15:10

RL: IMF (Industrial manufacture); PREP (Preparation)

(antibiotic cyan426-A produced by fermentation of Cylindrocarpon NRRL 30632)


RN 709041-56-5 HCAPLUS

2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-CN 9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-

dodecahydro-7-methoxy-14,14b,16,18-tetramethyl-,

(7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.



ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN L4

ACCESSION NUMBER:

2003:238719 HCAPLUS

DOCUMENT NUMBER:

138:398528

TITLE:

Biosynthesis of structurally unique fungal metabolite GKK1032A2: indication of novel carbocyclic formation

mechanism in polyketide biosynthesis

AUTHOR (S):

Oikawa, Hideaki

CORPORATE SOURCE:

Department of Applied Bioscience, Graduate School of Agriculture, Hokkaido University, Sapporo, 060-8589,

Japan

SOURCE:

Journal of Organic Chemistry (2003), 68(9), 3552-3557

CODEN: JOCEAH; ISSN: 0022-3263

PUBLISHER:

American Chemical Society

DOCUMENT TYPE:

Journal

LANGUAGE:

English

GT

AB The biosynthesis of the antitumor agent GKK1032A2 (I) was investigated by administration of isotopically labeled (13C and 2H) precursors to Penicillium sp. GKK1032. These studies showed that the backbone of I is constructed from L-tyrosine and a nonaketide chain flanked with 5 Me groups, probably by a polyketide synthase and a nonribosomal peptide synthetase hybrid. On the basis of the oxidation level of the starter unit and unusual 13-membered macroether formation between the tyrosine hydroxy group and the polyketide chain, novel cyclization mechanisms on the formation of a tricarbocyclic system and a macroether have been proposed. Involvement of a similar type of cyclization in the biosynthesis of structurally related metabolites is discussed.

IT 529481-13-8

RL: BSU (Biological study, unclassified); BIOL (Biological study) (indication of novel carbocyclic formation mechanism in polyketide biosynthesis in the biosynthesis of structurally unique fungal metabolite GKK1032A2)

RN 529481-13-8 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-12,14,14b,16,18-pentamethyl-, (7R,11aR,12S,14aS,14bS,16R,18S,18aR,18bS,18cS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT:

35

THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ACCESSION NUMBER:

DOCUMENT NUMBER:

TITLE:

AUTHOR (S):

CORPORATE SOURCE:

SOURCE:

PUBLISHER: DOCUMENT TYPE:

LANGUAGE:

GI

ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN

2002:136804 HCAPLUS
136:398250
Pyrrogidines A and B, new antibiotics produced by a

He, Haiyin; Yang, Hui Y.; Bigelis, Ramunas; Solum,

Eric H.; Greenstein, Michael; Carter, Guy T.

Natural Products Chemistry, Wyeth-Ayerst Research,

Pearl River, NY, 10965, USA

Tetrahedron Letters (2002) 43 (2), 1633-1636

CODEN: TELEAY; ISSN: 0040-4039

Elsevier Science Ltd.

Journal English

AB Pyrrocidines A (I) and B (II), two new antibiotics, containing rare 13-membered macrocycles, were isolated from the fermentation broth of a fungus, LL-Cyan426. Pyrrocidine A exhibited potent activity against Gram-pos. bacteria, including drug-resistant strains. The structures of these compds were established using spectroscopic methods.

IT 428439-24-1P, Pyrrocidine A
RL: BSU (Biological study, unclassified); NPO (Natural product occurrence); PRP (Properties); PUR (Purification or recovery); THU (Therapeutic use); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation); USES (Uses)

(pyrrocidine A and B, new antibiotics produced by a filamentous fungus) RN 428439-24-1 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Currently available stereo shown.

REFERENCE COUNT:

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> FIL REGISTRY		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	24.62	186.16
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.19	-2.19

FILE 'REGISTRY' ENTERED AT 15:07:46 ON 30 OCT 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

5

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 28 OCT 2005 HIGHEST RN 866391-97-1 DICTIONARY FILE UPDATES: 28 OCT 2005 HIGHEST RN 866391-97-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

- \* The CA roles and document type information have been removed from \*
- \* the IDE default display format and the ED field has been added. \*
- \* effective March 20, 2005. A new display format, IDERL, is now
- $^{\star}$  available and contains the CA role and document type information.  $^{\star}$

10735953.trn

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

Uploading C:\Program Files\Stnexp\Queries\10735953a.str

chain nodes :

27 28 30 31 32 33 34 35

ring nodes :

1 2 3 4 . 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29

chain bonds :

1-35 3-34 7-32 10-33 12-30 24-28 26-27 30-31

ring bonds :

1-2 1-6 2-3 3-4 4-7 5-8 5-6 5-25 6-7 7-9 8-13 8-9 9-10 10-11 11-12

12-13 13-26 14-15 14-19 14-29 15-16 16-17 17-18 17-25 18-19 20-21 20-24

21-22 21-29 22-23 23-24 23-26

exact/norm bonds :

5-8 5-25 8-13 8-9 9-10 10-11 11-12 12-13 13-26 14-29 17-25 20-21 20-24

21-29 23-24 23-26 24-28 26-27

exact bonds :

1-2 1-6 1-35 2-3 3-4 3-34 4-7 5-6 6-7 7-9 7-32 10-33 12-30 21-22

22-23 30-31

normalized bonds :

14-15 14-19 15-16 16-17 17-18 18-19

10735953.trn

Page 12

15:10

isolated ring systems :
containing 1 :

G1:H,CH3,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:CLASS 28:CLASS 29:Atom 30:CLASS 31:CLASS 32:CLASS 33:CLASS 34:CLASS 35:CLASS

L5 STRUCTURE UPLOADED

=> d 15 L5 HAS NO ANSWERS L5 STR

G1 H, Me, Ak

Structure attributes must be viewed using STN Express query preparation.

=> S 15
SAMDLE SEADCH INITE

SAMPLE SEARCH INITIATED 15:08:06 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED

0 ITERATIONS

0 ANSWERS

10735953.trn

Page 13

15:10

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\* BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: OTO O TO PROJECTED ANSWERS:

L6 0 SEA SSS SAM L5

=> s 15 sss full


FULL SEARCH INITIATED 15:08:13 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED -

100.0% PROCESSED 11 ITERATIONS

SEARCH TIME: 00.00.01

3 SEA SSS FUL L5 L7

=> Uploading C:\Program Files\Stnexp\Queries\10735953b.str



3 ANSWERS\_

chain nodes :

27 28

ring nodes :

chain bonds : 24-28 26-27

ring bonds :

1-2 1-6 2-3 3-4 4-7 5-8 5-6 5-25 6-7 7-9 8-13 8-9 9-10 10-11 11-12

12-13 13-26 14-15 14-19 14-29 21-22 21-29 22-23 23-24 23-26 15-16 16-17 17-18 17-25 18-19 20-21 20-24

exact/norm bonds :

5-8 5-25 8-13 8-9 9-10 10-11 11-12 12-13 13-26 14-29 17-25 20-21 20-24

15:10

21-29 23-24 23-26 24-28 26-27

exact bonds :

1-2 1-6 2-3 3-4 4-7 5-6 6-7 7-9 21-22 22-23

10735953.trn Page 14

normalized bonds :

14-15 14-19 15-16 16-17 17-18 18-19

isolated ring systems :

containing 1 :

G1:H,CH3,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:CLASS 28:CLASS 29:Atom

L8 STRUCTURE UPLOADED

=> d 18L8 HAS NO ANSWERS L8 STR

G1 H, Me, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s 18

SAMPLE SEARCH INITIATED 15:09:16 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED -0 TO ITERATE

100.0% PROCESSED

0 ITERATIONS

0 ANSWERS

10735953.trn Page 15

15:10

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 0 TO

PROJECTED ANSWERS: 0 TO

L9 0 SEA SSS SAM L8

=> s 18 sss full

FULL SEARCH INITIATED 15:09:22 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 13 TO ITERATE

100.0% PROCESSED 13 ITERATIONS 3 ANSWERS

SEARCH TIME: 00.00.01

L10 3 SEA SSS FUL L8

=> FIL HCAPLUS

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
323.09
509.25

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL .

ENTRY SESSION

CA SUBSCRIBER PRICE 0.00 -2.19

FILE 'HCAPLUS' ENTERED AT 15:09:32 ON 30 OCT 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Oct 2005 VOL 143 ISS 19 FILE LAST UPDATED: 28 Oct 2005 (20051028/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d his

(FILE 'HOME' ENTERED AT 15:04:36 ON 30 OCT 2005)

FILE 'REGISTRY' ENTERED AT 15:04:53 ON 30 OCT 2005

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 3 S L1 SSS FULL

10735953.trn Page 16 15:10

FILE 'HCAPLUS' ENTERED AT 15:05:24 ON 30 OCT 2005 3 S L3

FILE 'REGISTRY' ENTERED AT 15:07:46 ON 30 OCT 2005

STRUCTURE UPLOADED

L5 0 S L5

3 S\_L5. SSS FULL

STRUCTURE UPLOADED

0 S L8

3 S L8 SSS-FULL

FILE 'HCAPLUS' ENTERED AT 15:09:32 ON 30 OCT 2005

=> s 17

L4

L11 3 L7

=> s 110

L12 3 L10

=> d l11 ibib abs hitstr tot

L11 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN

2004:533983 HCAPLUS

DOCUMENT NUMBER:

141:52971

TITLE:

Antibiotic cyan426-A produced by fermentation of

Jahr

Cylindrocarpon NRRL 30632

INVENTOR(S):

He, Haiyin; Yang, Hui; Bigelis, Ramunas

PATENT ASSIGNEE(S): Wyeth-Holdings Corporation, USA SOURCE: U.S. Pat. Appl. Publ., 9 pp.

CODEN: USXXCO

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	AP	PLICATION NO.		DATE
					-	
US 2004127540	A1	20040701	ີ້ ບິS	2003-735953		20031215
PRIORITY APPLN. INFO.:		A STATE OF THE PARTY OF THE PAR	US	2002-434005P	P	20021217
OTHER SOURCE(S):	MARPAT	141 52971				

GI

Ι

AB The invention relates to a new antibiotic designated Cyan426-A (I) , to its production by fermentation, to methods for its recovery and concentration from the

crude solns., and to a process for its purification and to semisynthetic ethers of Cyan426-A, Cyan426-A-ethers.

IT 428439-24-1DP, Cyan 426-A, and ethers of RL: BMF (Bioindustrial manufacture); PRP (Properties); PUR (Purification or recovery); BIOL (Biological study); PREP (Preparation)

(antibiotic cyan426-A produced by fermentation of Cylindrocarpon NRRL 30632)

RN 428439-24-1 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Currently available stereo shown.

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-methoxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L11 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2003:238719 HCAPLUS

DOCUMENT NUMBER: 138:398528

TITLE: Biosynthesis of structurally unique fungal metabolite

GKK1032A2: indication of novel carbocyclic formation

mechanism in polyketide biosynthesis

AUTHOR(S): Oikawa, Hideaki

CORPORATE SOURCE: Department of Applied Bioscience, Graduate School of

Agriculture, Hokkaido University, Sapporo, 060-8589,

Japan

SOURCE: Journal of Organic Chemistry (2003), 68(9), 3552-3557

CODEN: JOCEAH; ISSN: 0022-3262

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

Ι

AB The biosynthesis of the antitumor agent GKK1032A2 (I) was investigated by administration of isotopically labeled (13C and 2H) precursors to Penicillium sp. GKK1032. These studies showed that the backbone of I is constructed from L-tyrosine and a nonaketide chain flanked with 5 Me groups, probably by a polyketide synthase and a nonribosomal peptide synthetase hybrid. On the basis of the oxidation level of the starter unit and unusual 13-membered macroether formation between the tyrosine hydroxy group and the polyketide chain, novel cyclization mechanisms on the formation of a tricarbocyclic system and a macroether have been proposed. Involvement of a similar type of cyclization in the biosynthesis of structurally related metabolites is discussed.

IT 529481-13-8

RL: BSU (Biological study, unclassified); BIOL (Biological study) (indication of novel carbocyclic formation mechanism in polyketide biosynthesis in the biosynthesis of structurally unique fungal metabolite GKK1032A2)

RN 529481-13-8 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-12,14,14b,16,18-pentamethyl-, (7R,11aR,12S,14aS,14bS,16R,18S,18aR,18bS,18cS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT:

THERE ARE 35 CFTED REFERENCES AVAILABLE FOR THIS RECORD. ALL QITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN ACCESSION NUMBER: 2002:136804 HCAPLUS

35

DOCUMENT NUMBER: 136:398250

TITLE: Pyrrocidines A and B, new antibiotics produced by a

filamentous fungus

He, Haiyih; Yang, Hui Y.; Bigelis, Ramunas; Solum, Eric He, Greenstein, Michael; Carter, Guy T. AUTHOR (S):

CORPORATE SOURCE: Natural Products Chemistry, Wyeth-Ayerst Research,

Pearl River, NY, 10965, USA

SOURCE: Tetrahedron Letters (2002) 43/9 45636-1636-1

CODEN: TELEAY; ISSN: 0040-4039

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

GI

AB Pyrrocidines A (I) and B (II), two new antibiotics, containing rare 13-membered macrocycles, were isolated from the fermentation broth of a fungus, LL-Cyan426. Pyrrocidine A exhibited potent activity against Gram-pos. bacteria, including drug-resistant strains. The structures of these compds. were established using spectroscopic methods.

IT 428439-24-1P, Pyrrocidine A
RL: BSU (Biological study, unclassified); NPO (Natural product occurrence); PRP (Properties); PUR (Purification or recovery); THU (Therapeutic use); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation); USES (Uses)

(pyrrocidine A and B, new antibiotics produced by a filamentous fungus) RN 428439-24-1 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Currently available stereo shown.

REFERENCE COUNT:

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

## => d l12 ibib abs hitstr tot

L12 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN

5

ACCESSION NUMBER: 2004:533983 HCAPLUS

DOCUMENT NUMBER: 141:52971

TITLE:

Antibiotic cyan426-A produced by fermentation of

Cylindrocarpon NRRL 30632

He, Haiyin: Yang, Hui; Bigelis, Ramunas INVENTOR (S):

PATENT ASSIGNEE(S): Wyeth Holdings Corporation, USA SOURCE: U.S. Pat. Appl. Publ., 9 pp.

CODEN: USXXCO

DOCUMENT TYPE:

Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO. KIND DATE DATE APPLICATION NO. US 2004127540 A1 US 2003-735953 20031215 PRIORITY APPLN. INFO.: US 2002-434005P P 20021217

OTHER SOURCE(S): MARPAT GΙ

AB The invention relates to a new antibiotic designated Cyan426-A (I) , to its production by fermentation, to methods for its recovery and concentration from the

crude solns., and to a process for its purification and to semisynthetic ethers of Cyan426-A, Cyan426-A-ethers.

IT 428439-24-1DP, Cyan 426-A, and ethers of RL: BMF (Bioindustrial manufacture); PRP (Properties); PUR (Purification or recovery); BIOL (Biological study); PREP (Preparation)

Ι

(antibiotic cyan426-A produced by fermentation of Cylindrocarpon NRRL 30632)

RN 428439-24-1 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)-rel-(+)- (9CI) (CA INDEX NAME)

Rotation (+). Absolute stereochemistry unknown. Currently available stereo shown.

TT 709041-56-5P, Cyan 426-A methyl ether
RL: IMF (Industrial manufacture); PREP (Preparation)

(antibiotic gyan426 A produced by formentation of Cylindrogame

(antibiotic cyan426-A produced by fermentation of Cylindrocarpon NRRL 30632) RN 709041-56-5 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-methoxy-14,14b,16,18-tetramethyl-, (7R,11aS,12R,14aR,14bS,16R,18S,18aR,18bS,18cS)- (9CI) (CA INDEX NAME)

## Absolute stereochemistry.

L12 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 20

2003:238719 HCAPLUS

DOCUMENT NUMBER:

138:398528

TITLE:

Biosynthesis of structurally unique fungal metabolite

GKK1032A2: indication of novel carbocyclic formation

mechanism in polyketide biosynthesis

AUTHOR(S):

Oikawa, Hideaki

CORPORATE SOURCE:

Department of Applied Bioscience, Graduate School of

Agriculture, Hokkaido University, Sapporo, 060-8589,

Japan

SOURCE:

Journal of Organic Chemistry (2003), 68(9), 3552-3557

CODEN: JOCEAH; ISSN: 0022-3263

PUBLISHER:

American Chemical Society

DOCUMENT TYPE:

Journal

LANGUAGE:

English

GΙ

Ι

AB The biosynthesis of the antitumor agent GKK1032A2 (I) was investigated by administration of isotopically labeled (13C and 2H) precursors to Penicillium sp. GKK1032. These studies showed that the backbone of I is constructed from L-tyrosine and a nonaketide chain flanked with 5 Me groups, probably by a polyketide synthase and a nonribosomal peptide synthetase hybrid. On the basis of the oxidation level of the starter unit and unusual 13-membered macroether formation between the tyrosine hydroxy group and the polyketide chain, novel cyclization mechanisms on the formation of a tricarbocyclic system and a macroether have been proposed. Involvement of a similar type of cyclization in the biosynthesis of structurally related metabolites is discussed.

IT 529481-13-8

RL: BSU (Biological study, unclassified); BIOL (Biological study) (indication of novel carbocyclic formation mechanism in polyketide biosynthesis in the biosynthesis of structurally unique fungal metabolite GKK1032A2)

RN 529481-13-8 HCAPLUS

CN 2,5-Etheno-7,10-metheno-10H-fluoreno[9,1-bc]-1,8-oxaazacyclotetradecine-9,11(6H,11aH)-dione, 12-ethenyl-7,8,12,14a,14b,15,16,17,18,18a,18b,18c-dodecahydro-7-hydroxy-12,14,14b,16,18-pentamethyl-, (7R,11aR,12S,14aS,14bS,16R,18S,18aR,18bS,18cS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

REFERENCE COUNT:

THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS 35 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

HCAPLUS COPYRIGHT 2005 ACS on STN L12 ANSWER 3 OF 3

ACCESSION NUMBER: 2002:136804 HCAPEÚS

DOCUMENT NUMBER: 136:398250

TITLE: Pyrrocidines A and B, new antibiotics produced by a

filamentous fungus

AUTHOR (S): #e, Haiyin; Yang, Hui Y.; Bigelis, Ramunas; Solum,

Eric H. Greenstein, Michael; Carter, Guy T.

Natural Products Chemistry, Wyeth-Ayerst Research, CORPORATE SOURCE:

Pearl River, NY, 10965 USA

Tetrahedron Letters (2002), 43(9), CODEN: TELEAY; ISSN: 0040-4039 SOURCE:

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

GI

AB Pyrrocidines A (I) and B (II), two new antibiotics, containing rare 13-membered macrocycles, were isolated from the fermentation broth of a fungus, LL-Cyan426. Pyrrocidine A exhibited potent activity against Gram-pos. bacteria, including drug-resistant strains. The structures of these compds. were established using spectroscopic methods.

IT 428439-24-1P, Pyrrocidine A
RL: BSU (Biological study, unclassified); NPO (Natural product occurrence); PRP (Properties); PUR (Purification or recovery); THU (Therapeutic use); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation); USES (Uses)

(pyrrocidine A and B, new antibiotics produced by a filamentous fungus) RN 428439-24-1 HCAPLUS

Rotation (+). Absolute stereochemistry unknown. Currently available stereo shown.

REFERENCE COUNT:

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	32.09	541.34
		•
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-4.38	-6.57

STN INTERNATIONAL LOGOFF AT 15:10:12 ON 30 OCT 2005

5